(B) EFFECT OF HEPARIN ON THE AFFINITY OF $\alpha\text{-THROMBIN}$ FOR FIBRIN

HEPARIN (μM)	Kd (μM)	_
0	3.22	
0.1	0.25	
0.25	0.15	
1	0.79	
20	4.26	






fig. 1





...4/41







Fig. 4



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)






Fig. 8






Fig. 9








Iħ/II

525910/017700/00A-1.

MÖ 01/05443








SUBSTITUTE SHEET (RULE 26)


LN	/WH V	21		
0	21	21	0	0
0.5	24.7	23.1	12.4	1.12
1	24.3	30.7	2.37	10.1
1.5	39.4	52.1	2.98	2.31

Comparative effects of V21 and LMWH on APTT




LM	WH V21	lm	whse	V21 se
0	0	0	0	0
0.5	1.1	8.0	0.19	0.32
1	2.8	1.5	0.91	0.32
1.5	2.6	2.8	0.06	0.36


Comparative effects of LMWH and V21 on the anti-Xa level



Schematic Diagram of the Procedure




SUBSTITUTE SHEET (RULE 26)



₽å
Ū
Ш
ΠJ
U
E
N
N
N

LM	IWH V2	21		
0	37.8	37.8	3.7	3.7
0.5	9.6	18	4.7	6.1
1	7.5	5.6	2.1	2.6
1.5	9.1	1.7	8.2	0.6

Comparison of LMWH and V21:Prophylaxis model




T/CA00/00774 10/019325


19/41

Comparison of LMWH and V21:Prophylaxis model

HOOLDMAND. ONNYON



looles . Ceeloe




SUBSTITUTE SHEET (RULE 26)


<u> </u>
H
Ð
Ų
N
U
E
N
N
4
N


LM	IWH V21	se	se	
0	30	30	8	8
0.5	12	18	3.8	7.8
1	11	5	1.7	2.1
1.5	4.5	1.6	4.2	0.7

Comparison of LMWH and V21:Prophylaxis Model



lolezez "cezoe





% increase in thrombus weight

SUBSTITUTE SHEET (RULE 26)


HOOLOWS: OUNZON

10019365 octobe


24/41

LN	1WH V21			
0	242	242	104	104
1	155	137	37	30
3	129	21	52	31

Comparison of LMWH and V21 in Treatment Model



LMWH and V21 on Thrombus Accretion




SUBSTITUTE SHEET (RULE 26)

LOCKOWE . CHECK


LM	WH V21			
0	282	282	111	111
1	202	174	37	29
3	174	57	51	20

LMWH and V21on Thrombus Accretion




V21 Treatment of DVT in Chronic Rabbit Model Clot Accretion


27/41




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




Jig. 31



- 6000 MWH (heparinase) 8050 MWH (heparinase) 10350 MWH (heparinase) 5600 MWH (nitrous acid) 8200 MWH (nitrous acid) 10300 MWH (nitrous acid) Unfractionated heparin










Fig. 35


SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)









SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)





SUBSTITUTE SHEET (RULE 26)